created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 13928913920

CLASSIFICATION: 07 13 26 Self-Adhering Sheet Waterproofing

PRODUCT DESCRIPTION: COLPHENE 3000 is a self-adhesive, sheet-applied waterproofing membrane composed of SBS-modified bitumen and a tri-laminate woven polyethylene facer used on foundation walls and other below grade vertical surfaces.

Section 1: Summary

#### **Nested Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting** 

**Format** 

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

**Threshold Level** 

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed in 2 of 3 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified

○ Yes 
○ No

Provided name and CAS RN or other identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPLIRITY** 

**GREENSCREEN SCORE | HAZARD TYPE** 

SELF-ADHESIVE BITUMEN MIXTURE [ ASPHALT LT-1 | CAN | MAM | GEN LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT (LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT) LT-P1 CAN | SKI | DEV GAS OILS, PETROLEUM, HEAVY VACUUM (GAS OILS, PETROLEUM, HEAVY VACUUM) LT-1 | CAN | MUL | DEV DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI); (DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI);) LT-1 | CAN | PBT | MUL | SKI | DEV STYRENE BUTADIENE RUBBER (SBR) LT-UNK HYDROGEN SULFIDE (HYDROGEN SULFIDE) LT-P1 | END | MUL | MAM | AQU | PHY | EYE NAPHTHALENE (NAPHTHALENE) LT-1 | END | PBT | CAN | MUL | AQU | EYE | MAM POLYCYCLIC AROMATIC HYDROCARBONS (POLYCYCLIC AROMATIC HYDROCARBONS) LT-1 | PBT | CAN LEAD (LEAD) BM-1 | END | PBT | MUL | CAN | DEV | REP | GEN | AQU | MAM VANADIUM (VANADIUM) LT-1 | MUL | CAN | GEN NICKEL (NICKEL) LT-1 | CAN | RES | MUL | MAM | SKI | AQU ] WOVEN POLYETHYLENE FACER [ POLYETHYLENE LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL UNDISCLOSED BM-1 | CAN | EYE | MAM | PHY UNDISCLOSED NoGS UNDISCLOSED LT-UNK | SILICONE-COATED RELEASE FILM [ POLYETHYLENE (POLYETHYLENE) LT-UNK POLYDIMETHYLSILOXANES (POLYDIMETHYLSILOXANES) LT-P1 PBT 1

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-1, LT-P1, BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

This declaration covers both the summer and winter versions of COLPHENE 3000. No substance other than those listed in this HPD have been added to the finished product during its manufacturing. Residuals or impurities could not be considered because information was not provided to the manufacturer by the raw materials vendors. The precise composition of the self-adhesive bitumen mixture was not disclosed to protect proprietary information; ranges were given.

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -

Zero VOC emissions Other: CCMC 13560-R

Management: ISO 9001:2015 Quality management systems

Management: ISO 14001:2015 Environmental management systems

#### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

PREPARER: Self-Prepared

VERIFIER:

SCREENING DATE: 2023-08-28 PUBLISHED DATE: 2023-08-28

O Yes
O No

VERIFICATION #:

EXPIRY DATE: 2026-08-28

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

#### SELF-ADHESIVE BITUMEN MIXTURE %: 89.9000 - 90.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals were considered through information disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: The self-adhesive bitumen is composed of different substances blended to a homogeneous mixture. Naphtenic oil is a component of this mixture. Different oils of different constitution are available. This explains why CAS #64742-52-5 can be present at 0% to 15%, CAS #64742-58-1 can be present at 0% to 12%, and CAS #64741-57-7 can be present at 0% to 12%. Hydrogen sulfide is a declared impurity of one of the sources of naphtenic oil.

ASPHALT				ID: 8052-42-4
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-08-28 11:19:16		2023-08-28 11:19:16
%: 65.0000 - 80.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcino	gens	Occupational Ca	arcinogen
CAN	MAK		•	up 3B - Evidence of carcinogenic effects t for classification
CAN	IARC		Group 2B - Poss from occupation	sibly carcinogenic to humans - inhaled nal sources
МАМ	GHS - Japan			se respiratory irritation [Specific target Single exposure - Category 3]
CAN	GHS - Japan		H351 - Suspecte Category 2]	ed of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposi	damage to organs through prolonged or ure [Specific target organs/systemic grepeated exposure - Category 1]
GEN	GHS - Japan		H341 - Suspecte mutagenicity - C	ed of causing genetic defects [Germ cell Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT (LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT)

ID: 64742-58-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-08-28 11:19:17
%: 0.0000 - 20.0000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	GHS - Australia		H350 - May caus 1A or 1B]	e cancer [Carcinogenicity - Category
SKI	GHS - Australia		H315 - Causes sl Category 2]	kin irritation [Skin corrosion/irritation -
DEV	GHS - Australia		•	ed of damaging the unborn child xicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No I	istings found on Additional Hazard Lists

SUBSTANCE NOTES: This is one of three options for plasticizing oil in the self-adhesive bitumen mixture. This is why minimum percentage is set at 0%. Exact percentage not disclosed to protect proprietary information. If used, this substance will represent 10 to 20% of the self-adhesive bitumen mixture material.

## GAS OILS, PETROLEUM, HEAVY VACUUM (GAS OILS, PETROLEUM, HEAVY VACUUM)

ID: 64741-57-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-08-28 11:19:17
%: 0.0000 - 20.0000	GreenScreen: LT-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - Annex VI CMRs		Carcinogen Cate on animal eviden	egory 1B - Presumed Carcinogen based
MUL	ChemSec - SIN List		CMR - Carcinoge Toxicant	en, Mutagen &/or Reproductive
MUL	German FEA - Substances Haza Waters	irdous to	Class 3 - Severe	Hazard to Waters
CAN	GHS - Australia		H350 - May caus 1A or 1B]	se cancer [Carcinogenicity - Category
CAN	EU - GHS (H-Statements) Annex	6 Table 3-1	H350 - May caus 1A or 1B]	se cancer [Carcinogenicity - Category
DEV	GHS - Australia			red of damaging the unborn child xicity - Category 2]
CAN	EU - REACH Annex XVII CMRs		Carcinogens: Ca	tegory 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products

SUBSTANCE NOTES: This is one of three options for plasticizing oil in the self-adhesive bitumen mixture. This is why minimum percentage is set at 0%. Exact percentage not disclosed to protect proprietary information. If used, this substance will represent 10 to 20% of the self-adhesive bitumen mixture material.

# DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI); (DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI);)

ID: 64742-52-5

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-08-28 11:19:18
%: 0.0000 - 20.0000	GreenScreen: LT-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - Annex VI CMRs		Carcinogen Cate on animal eviden	gory 1B - Presumed Carcinogen based ce
PBT	EC - CEPA DSL		Persistent, Bioac (PBiTH) to humar	cumulative and inherently Toxic
MUL	ChemSec - SIN List		CMR - Carcinoge Toxicant	en, Mutagen &/or Reproductive
MUL	German FEA - Substances Haza Waters	ardous to	Class 3 - Severe	Hazard to Waters
CAN	GHS - Australia		H350 - May caus 1A or 1B]	e cancer [Carcinogenicity - Category
CAN	GHS - Japan		H350 - May caus 1A]	e cancer [Carcinogenicity - Category
CAN	EU - GHS (H-Statements) Annex	6 Table 3-1	H350 - May caus 1A or 1B]	e cancer [Carcinogenicity - Category
SKI	GHS - Australia		H315 - Causes sk Category 2]	kin irritation [Skin corrosion/irritation -
SKI	GHS - Japan		H315 - Causes sk Category 2]	kin irritation [Skin corrosion / irritation -
DEV	GHS - Australia			ed of damaging the unborn child xicity - Category 2]
CAN	EU - REACH Annex XVII CMRs		Carcinogens: Cat	tegory 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products

SUBSTANCE NOTES: This is one of three options for plasticizing oil in the self-adhesive bitumen mixture. This is why minimum percentage is set at 0%. Exact percentage not disclosed to protect proprietary information. If used, this substance will represent 10 to 20% of the self-adhesive bitumen mixture material.

#### STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-08-28 11:19:18
%: 9.0000 - 16.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wari	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

### **HYDROGEN SULFIDE (HYDROGEN SULFIDE)**

ID: 7783-06-4

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-08-28 11:19:17	
%: Impurity/Residual	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disr	DX - Potential Endocrine Disruptors		rine Disruptor	
MUL	German FEA - Substances Haza Waters	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
MAM	US EPA - EPCRA Extremely Haz Substances	S EPA - EPCRA Extremely Hazardous ubstances		Extremely Hazardous Substances	
AQU	EU - GHS (H-Statements) Annex	ements) Annex 6 Table 3-1		c to aquatic life [Hazardous to the ment (acute) - Category 1]	
MAM	EU - GHS (H-Statements) Annex	6 Table 3-1	H330 - Fatal if ir Category 1 or 2]	nhaled [Acute toxicity (inhalation) -	
PHY	EU - GHS (H-Statements) Annex	6 Table 3-1	H220 - Extremel Category 1]	y flammable gas [Flammable gases -	
EYE	GHS - New Zealand		Eye irritation car	tegory 2	

MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
PHY	GHS - Korea	H220 - Extremely flammable gas [Flammable gases - Category 1]
PHY	Québec CSST - WHMIS 1988	Class B1 - Flammable gases
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: gas) - Category 2]
PHY	GHS - Japan	H220 - Extremely flammable gas [Flammable gases -
		Category 1]
MAM	GHS - Australia	Category 1]  H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Australia GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation) -
		H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]  H319 - Causes serious eye irritation [Serious eye
EYE	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]  H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]  H400 - Very toxic to aquatic life [Hazardous to the
EYE	GHS - Japan GHS - Malaysia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]  H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]  H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  H400 - Very toxic to aquatic life [Hazardous to the
EYE AQU AQU	GHS - Japan GHS - Malaysia GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]  H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]  H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
EYE AQU AQU PHY	GHS - Japan  GHS - Malaysia  GHS - Australia  GHS - New Zealand	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]  H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]  H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  Flammable gas category 1A  H220 - Extremely flammable gas [Flammable gases -

SUBSTANCE NOTES: Hydrogen sulfide may be present in asphalt and petroleum oil.

#### NAPHTHALENE (NAPHTHALENE) ID: 91-20-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	REENING DATE:	2023-08-28 11:19:19
%: Impurity/Residual	GreenScreen: LT-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential Endoc	rine Disruptor
РВТ	OSPAR - Priority PBTs & EDs & concern	equivalent	PBT - Chemical	for Priority Action
END	ChemSec - SIN List		Endocrine Disru	ption
CAN	MAK		Carcinogen Gro	up 1 - Substances that cause cancer in
MUL	ChemSec - SIN List		CMR - Carcinog Toxicant	en, Mutagen &/or Reproductive
MUL	German FEA - Substances Haza Waters	ardous to	Class 3 - Severe	Hazard to Waters
CAN	CA EPA - Prop 65		Carcinogen	
CAN	IARC		Group 2b - Poss	sibly carcinogenic to humans
CAN	MAK		Carcinogen Gro	up 2 - Considered to be carcinogenic for
CAN	US NIH - Report on Carcinogens	S	Reasonably Anti	icipated to be Human Carcinogen
PBT	US EPA - Priority PBTs (NWMP)		Priority PBT	
PBT	WA DoE - PBT		PBT	
РВТ	US EPA - Toxics Release Invent	ory PBTs	PBT	
CAN	US EPA - IRIS Carcinogens		(1986) Group C -	- Possible human Carcinogen
CAN	EU - GHS (H-Statements) Annex	6 Table 3-1	H351 - Suspecte Category 2]	ed of causing cancer [Carcinogenicity -
AQU	EU - GHS (H-Statements) Annex	6 Table 3-1	-	c to aquatic life [Hazardous to the ment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex	6 Table 3-1	-	c to aquatic life with long lasting effects ne aquatic environment (chronic) -
EYE	GHS - New Zealand		Eye irritation cat	tegory 2
CAN	GHS - New Zealand		Carcinogenicity	category 2
CAN	GHS - Japan		H351 - Suspecte Category 2]	ed of causing cancer [Carcinogenicity -

MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Malaysia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
AQU	GHS - Malaysia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Malaysia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023
		Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: Naphthalene may be present as impurity in asphalt.

ID: 7439-92-1

HAZARD DATA SOURCE: F	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-08-28 11:19:19	
%: Impurity/Residual	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
РВТ	OSPAR - Priority PBTs & EDs & concern	, i		for Priority Action	
CAN	MAK	MAK		Carcinogen Group 1 - Substances that cause cancer in man	
CAN	US NIH - Report on Carcinogens	US NIH - Report on Carcinogens		Reasonably Anticipated to be Human Carcinogen	
РВТ	WA DoE - PBT	WA DoE - PBT		РВТ	
PBT	US EPA - Toxics Release Invent	ory PBTs	PBT		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	International Living Future Instit	ute (ILFI)		Challenge 4.0 - Red List of Materials & ective April 1, 2023	
			Red List substar Challenge V4.0	nces to avoid in Living Building projects	

SUBSTANCE NOTES: Polycyclic aromatic hydrocarbons may be present as impurity in asphalt.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-08-28 11:19:19	
%: Impurity/Residual	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disr	ruptors	Potential Endoc	rine Disruptor	
РВТ	OSPAR - Priority PBTs & EDs & concern	equivalent	alent PBT - Chemical for Priority Action		
PBT	OR DEQ - Priority Persistent Po	llutants	Priority Persiste	nt Pollutant - Tier 1	
MUL	ChemSec - SIN List		CMR - Carcinog Toxicant	gen, Mutagen &/or Reproductive	
CAN	CA EPA - Prop 65		Carcinogen		
CAN	IARC		Group 2b - Poss	sibly carcinogenic to humans	
CAN	MAK		Carcinogen Gro man	up 2 - Considered to be carcinogenic fo	
CAN	US NIH - Report on Carcinogen	s	Reasonably Ant	icipated to be Human Carcinogen	
DEV	G&L - Neurotoxic Chemicals		Developmental	Neurotoxicant	
CAN	US EPA - IRIS Carcinogens		(1986) Group B2	2 - Probable human Carcinogen	
CAN	IARC		Group 2a - Ager	nt is probably Carcinogenic to humans	
DEV	CA EPA - Prop 65		Developmental	toxicity	

LEAD (LEAD)

PBT	US EPA - Priority PBTs (NWMP)	Priority PBT
PBT	US EPA - Toxics Release Inventory PBTs	PBT
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A
GEN	MAK	Germ Cell Mutagen 3a
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
REP	CA EPA - Prop 65	Reproductive Toxicity - Male
CAN	GHS - Korea	H350 - May cause cancer [Carcinogenicity - Category 1]
REP	GHS - Korea	H360 - May damage fertility or the unborn child [Reproductive toxicity - Category 1]
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]
DEV	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H362 - May cause harm to breast-fed children [Reproductive toxicity, effects on or via lactation]
REP	GHS - New Zealand	Reproductive toxicity category 1
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]

AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1	
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]	
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]	
GEN	GHS - New Zealand	Germ cell mutagenicity category 2	
MAM	GHS - New Zealand	Acute oral toxicity category 3	
REP	GHS - New Zealand	Effects on or via lactation	
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
REP	EU - SVHC List	Toxic to reproduction - Candidate list	
REP	EU - REACH Annex XVII CMRs	Reproductive toxicants: Category 1A	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List	
		Precautionary list of substances recommended for avoidance	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List	
		Certain Metals	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Core Restrictions	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Biological and Environmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Children's Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Formulated Consumer Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Footwear, Apparel & Jewelry Products	
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023	
		Red List substances to avoid in Living Building Challenge V4.0 projects	

SUBSTANCE NOTES: Lead may be present as impurity in asphalt.

VANADIUM (VANADIUM) ID: 7440-62-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	y HAZARD SC	CREENING DATE:	2023-08-28 11:19:18
%: Impurity/Residual	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Ha Waters	zardous to	Class 3 - Severe	Hazard to Waters
CAN	MAK		Carcinogen Gro	up 2 - Considered to be carcinogenic for
			man	
GEN	MAK		Germ Cell Muta	gen 2
GEN ADDITIONAL LISTINGS	MAK LIST NAME AND SOURCE			gen 2

SUBSTANCE NOTES: Vanadium may be present as impurity in asphalt.

GreenScreen: LT-1

%: Impurity/Residual

NICKEL (NICKEL)				ID: 7440-02-0
HAZARD DATA SOURCE: Pharos Ch	emical and Materials Library	HAZARD SCREENING DATE:	2023-08-28 11:19:18	

RC: None

NANO: No

SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
	Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
	Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
	Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products

SUBSTANCE NOTES: Nickel may be present as an impurity in asphalt.

### **WOVEN POLYETHYLENE FACER** %: 8.2000 - 8.3000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals could not be considered because information was not provided to the manufacturer by the raw materials vendors.

OTHER MATERIAL NOTES: Polyethylene grid coated with polyethylene continuous film with colour printing.

POLYETHYLENE				ID: 9002-88-4
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-08-28 11:19:19
%: 90.0000 - 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES: Mixture of HDPE to provide strength to the woven material and LDPE to ensure barrier continuity of the finished facer				

				ID: Undisclosed
Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-08-28 11:19:20	
GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE	: Antioxidant
LIST NAME AND SOURCE		WARNINGS		
		No warr	nings found on HPD Prid	ority Hazard Lists
LIST NAME AND SOURCE		NOTIFICATION		
		No	listings found on Addition	onal Hazard Lists
	GreenScreen: LT-UNK  LIST NAME AND SOURCE	GreenScreen: LT-UNK RC: None  LIST NAME AND SOURCE	GreenScreen: LT-UNK RC: None NANO: No  LIST NAME AND SOURCE WARNINGS  No ward  LIST NAME AND SOURCE NOTIFICATION	GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE LIST NAME AND SOURCE WARNINGS  No warnings found on HPD Price

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

UNDISCLOSED					ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-08-28 11:19:20	
%: 0.0000 - 5.0000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE	: Antioxidant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances Haza Waters	rdous to	Class 2 - Hazard	I to Waters	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

UNDISCLOSED				ID: Undisclose
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-08-28 11:19:21
%: 1.0000 - 2.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcino	gens	Occupational Car	rcinogen
CAN	MAK		Carcinogen Group but not sufficient	p 3B - Evidence of carcinogenic effects for classification
CAN	CA EPA - Prop 65		Carcinogen - sper	cific to chemical form or exposure
CAN	IARC		Group 2B - Possil	bly carcinogenic to humans - inhaled
CAN	IARC		Group 2b - Possil	bly carcinogenic to humans
EYE	GHS - New Zealand		Eye irritation cate	egory 2
CAN	GHS - New Zealand		Carcinogenicity c	rategory 2
CAN	GHS - Japan		H351 - Suspected Category 2]	d of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or re [Specific target organs/systemic repeated exposure - Category 1]
PHY	GHS - Japan			ng;; may catch fire [Self-heating nixtures - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No lis	stings found on Additional Hazard Lists

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

UI	NDISCLOSED				ID: Undisclosed
HA	AZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DAT	E: 2023-08-28 11:19:19
%	: 0.0000 - 0.3000	GreenScreen: NoGS	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Heat or UV stabilizer
F	IAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
١	lone found			No w	varnings found on HPD Priority Hazard Lists
Α	ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN .
N	lone found			ı	No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

l	UNDISCLOSED				ID: Undisclosed	
	HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	ary HAZARD SCREENING DATE: 2023-08-28 11:19:20			
	%: 0.0000 - 0.3000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Heat or UV stabilizer	
	HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
	None found	None found		No warnings found on HPD Priority		
	ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN .	
	None found			1	No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

#### SILICONE-COATED RELEASE FILM %: 1.7000 - 1.8000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Silicone-coated release film is composed of a base polymeric film (polyolefin type) coated with a silicone-based release material.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-08-28 11:19:20		
%: 95.0000 - 99.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Anti-adhesive agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No w	rarnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found			N	No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The exact nature of the polymer used in this film is a proprietary information from the raw material supplier. It was impossible to obtain disclosure of the nature of the film. Because it is named "polyolefin film" we chose to classify it as polyethylene in this HPD.

#### POLYDIMETHYLSILOXANES (POLYDIMETHYLSILOXANES)

ID: 63148-62-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-08-28 11:19:21				
%: 1.0000 - 5.0000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Anti-adhesive agent		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
РВТ	EC - CEPA DSL	EC - CEPA DSL		Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N		
None found				No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: The exact nature of the silicone polymer used as a release agent in this film is a proprietary information from the raw material supplier. It was impossible to obtain disclosure of the nature of the silicone.

#### Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

#### CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: N/A

ISSUE DATE: 2020-05-01 EXPIRY DATE:

CERTIFIER OR LAB: N/A

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: N/A - Not Applicable - This product is an exterior product therefore is not to be tested for VOC emissions.

**OTHER** 

CCMC 13560-R

**CERTIFYING PARTY: Third Party** 

APPLICABLE FACILITIES: Drummondville, Québec,

Canada

**CERTIFICATE URL:** 

https://cnrc.canada.ca/en/certifications-evaluationsstandards/canadian-construction-materials-centre/ccmc-

publications/registry/extranet/pdf/13560\_e.pdf

ISSUE DATE: 2018-07-17 EXPIRY DATE:

CERTIFIER OR LAB: Canadian Construction Materials Centre

CERTIFIER OR LAB: SGS ICS

(CCMC)

CERTIFICATION AND COMPLIANCE NOTES: This evaluation report confirms that COLPHENE 3000 used as a self-adhered membrane for waterproofing below-ground concrete foundation walls complies with the National Building Code of Canada.

ISSUE DATE: 2021-09-23

EXPIRY DATE: 2024-05-07

#### **MANAGEMENT**

#### ISO 9001:2015 Quality management systems

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; Val de Reuil, France; Sorgues, France; Luynes, France; Ambert, France; Cestas, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France; Drummondville, Québec, Canada; Chilliwack,

British Columbia, Canada; Wadsworth, Ohio, USA;

Richmond, Québec, Canada; Gulfport, Mississippi, USA; Beauport, Québec, Canada; Oberrosbach, Germany;

Grobbendonk, Belgium; Andenne, Belgium; Ijlst,

Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy;

Salgareda, Italy; Blonie, Poland; Spreitenbach,

Switzerland; Cham, Switzerland.

ownizeriaria, oriarii, ownizeriaria.

CERTIFICATE URL: https://www.soprema.ca/wp-content/uploads/2021/10/SOPREMA-ISO-9001-EN-1.pdf

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842815. Although all the plants cited above are covered by the certification, the only plant that manufactures the product covered by this HPD is the plant in Drummondville, Québec, Canada.

**MANAGEMENT** 

ISO 14001:2015 Environmental management systems

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg,

France; Val de Reuil, France; Sorgues, France; La

Chapelle Saint Luc, France; Saint Rambert, France;

Golbey, France; Drummondville, Québec, Canada;

Chilliwack, British Columbia, Canada; Wadsworth, Ohio, USA; Richmond, Québec, Canada; Beauport, Québec,

Canada; Grobbendonk, Belgium; Andenne, Belgium; Ijlst,

Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone,

Italy; Salgareda, Italy; San Vito al Tagliamento, Italy;

Verolanuova, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland.

CERTIFICATE URL: https://www.soprema.ca/wp-

content/uploads/2021/10/SOPREMA-ISO-14001-EN-1.pdf

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842816. Although all the plants cited above are covered by the certification, the only plant that manufactures the product covered by this HPD is the plant in Drummondville, Québec, Canada.

ISSUE DATE: 2021-09-23

EXPIRY DATE: 2024-05-07

ISSUE DATE: 2021-09-23

EXPIRY DATE: 2024-05-07

#### **MANAGEMENT**

#### ISO 45001:2018 Occupational health and safety management system

CERTIFIER OR LAB: SGS ICS

CERTIFIER OR LAB: SGS ICS

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; La Chapelle Saint Luc, France; Saint Rambert, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Beauport, Québec, Canada; Wadsworth, Ohio, USA; Gulfport, Mississippi, USA;

Frosinone, Italy; San Vito al Tagliamento, Italy;

Verolanuova, Italy; Salgareda, Italy.

CERTIFICATE URL: https://www.soprema.ca/wp-

Andenne, Belgium; Chignolo d'Isola Bergamo, Italy;

content/uploads/2021/10/SOPREMA-ISO-45001-EN-1.pdf

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842817. Although all the plants cited above are covered by the certification, the only plant that manufactures the product by this HPD is the plant in Drummondville, Québec, Canada.

#### Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

#### PRIMER FOR SELF-ADHESIVE MEMBRANE

MANUFACTURER (OR GENERIC): SOPREMA

HPD URL: No HPD Available

**ACCESSORY TYPE: Installation Accessory** 

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The use of a primer is required before the installation of COLPHENE 3000. Acceptable primers include ELASTOCOL STICK (500 g/L VOC content), ELASTOCOL STICK ZERO (0 g/L VOC content including 240 g/L exempt VOC as per EPA), and ELASTOCOL STICK H2O (0 g/L VOC content).

#### Section 5: General Notes

This HPD covers both the summer and winter versions of COLPHENE 3000. Residuals could not be considered for 2 materials as information was not provided to the manufacturer by raw materials suppliers.

#### MANUFACTURER INFORMATION

MANUFACTURER: Soprema

ADDRESS: 1688 Jean-Berchmans-Michaud

Drummondville Quebec J2C 8E9, Canada

WEBSITE: www.soprema.ca

CONTACT NAME: Jean-François Côté

TITLE: Director, Standards and Scientific Affairs

PHONE: 877-626-6688 x114211 EMAIL: jfcote@soprema.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

END Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

PreC Pre-consumer recycled content
PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.