created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 700531519488

CLASSIFICATION: 07 52 00 Modified Bituminous Membrane Roofing

PRODUCT DESCRIPTION: SOPRAMASTIC™ SP1 is a moisture cured polyether sealant designed to be highly elastic to accommodate dynamic movement. SOPRAMASTIC™ SP1 is used as a general purpose adhesive and sealant for various applications, including multi-ply membrane and flashing

assemblies.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified ○ Yes ⊙ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SOPRAMASTIC SP1 [LIMESTONE BM-3dg STPE POLYMER LT-UNK UNDISCLOSED BM-2 TITANIUM DIOXIDE BM-1* | CAN | END | MAM VINYLTRIMETHOXYSILANE BM-1tp | MAM | PHY UNDISCLOSED NoGS QUARTZ BM-1* | CAN | MAM | GEN POLYETHYLENE FIBERS LT-UNK AMINOETHYL-AMINOPROPYL-TRIMETHOXYSILANE LT-UNK | AQU CASTOR OIL, HYDROGENATED NoGS BIS(2,2,6,6-

TETRAMETHYL-4-PIPERIDINYL) SEBACATE BM-1 | MUL | EYE | MAM | AQU TK 12627 LT-P1 | MUL BUMETRIZOLE LT-P1 | EYE | AQU | SKI

UNDISCLOSED LT-P1 | DEV | CAN | MUL | MAM 1,2-ETHANEDIAMINE, N,N-BIS3-(TRIMETHOXYSILYL)PROPYL- NoGS N,N'-BIS(3-

(TRIMETHOXYSILYL)PROPYL)ETHANE-1,2-DIAMINE NoGS

MAGNESIUM CARBONATE BM-3dg ALUMINUM OXIDE BM-2 | MAM

FERRIC OXIDE BM-1* | CAN | MAM MICRONIZED WAX LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No substance other than those listed in this HPD have been added to the finished product during its manufacturing. Some substances remain undisclosed to protect proprietary information. For the same reason, ranges were given for percentages of each substance. This product does not include any LBC Red List substance (whether disclosed or undisclosed).

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.5 Regulatory (g/l): 0.5

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: CDPH Standard Method - Not tested VOC content: MAS Certified Green - VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

VERIFIER:

VERIFICATION #:

PREPARER: Self-Prepared

SCREENING DATE: 2024-02-20 PUBLISHED DATE: 2024-02-21 EXPIRY DATE: 2027-02-20

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

SOPRAMASTIC SP1

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities were considered and are indicated when above 100 ppm level.

OTHER PRODUCT NOTES: The precise composition of the product was not disclosed to protect proprietary information; ranges were given.

LIMESTONE ID: 1317-65-3 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-02-20 14:08:42 %: 46.0000 - 51.0000 GreenScreen: BM-3dg RC: None SUBSTANCE ROLE: Filler NANO: No HAZARD TYPE LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION None found No listings found on Additional Hazard Lists SUBSTANCE NOTES:

STPE POLYMER					ID: 75009-88-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARI	SCREENING DATE:	2024-02-20 14:08:42
%: 24.0000 - 27.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROL	E: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No v	varnings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	١	
None found				No listings found on Ad	dditional Hazard Lists
SUBSTANCE NOTES:					

UNDISCLOSED			ID: Undisclosed		
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-02-20 14:08:42			
%: 10.0000 - 13.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer	

SOPRAMASTIC SP1

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance

SUBSTANCE NOTES: Identity of this substance not disclosed to protect propietary information.

TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libi	rary	HAZARD SCREENING DATE: 2024-02-20	
%: 3.0000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Card	cinogens	Occupational Care	cinogen**
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical form or exposure route**
CAN	IARC		Group 2B - Possik	oly carcinogenic to humans - inhaled
CAN	MAK			o 3A - Evidence of carcinogenic effects to establish MAK/BAT value**
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrir	ne Disruptor**
CAN	MAK		Carcinogen Group	o 4 - Non-genotoxic carcinogen with low AT levels**
CAN	IARC		Group 2b - Possib	ply carcinogenic to humans**
CAN	EU - GHS (H-Statements) A	nnex 6 Table 3-1	H351 - Suspected Category 2]**	d of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]**	d of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]**

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

VINYLTRIMETHOXYSILANE ID: 2768-02-7

HAZARD DATA SOURCE:	ZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-02-20 14:08:4		
%: 1.0000 - 3.0000	GreenScreen: BM-1tp	RC: None	NANO: No	SUBSTANCE ROLE: Scavenger	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MAM	GHS - Japan			se damage to organs [Specific target toxicity following single exposure -	
PHY	GHS - New Zealand		Flammable liquid	ls category 2	
PHY	GHS - Japan		H225 - Highly flan liquids - Category	mmable liquid and vapour [Flammable y 2]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			N	lo listings found on Additional Hazard Lists	
SUBSTANCE NOTES:					

 UNDISCLOSED
 ID: Undisclosed

 HAZARD DATA SOURCE:
 Pharos Chemical and Materials Library
 HAZARD SCREENING DATE: 2024-02-20 14:08:43

 %: 1.0000 - 3.0000
 GreenScreen: NoGS
 RC: None
 NANO: No
 SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

QUARTZ

 ${\tt SUBSTANCE\ NOTES:}\ Proprietary\ polyamide\ wax\ whose\ identity\ is\ withheld\ to\ protect\ confidential\ information.$

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	1	HAZARD S	CREENING DATE: 2024-02-20 14:08:4		
%: 1.0000 - 3.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
CAN	US CDC - Occupational Carcino	US CDC - Occupational Carcinogens		cinogen**		
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical form or exposure route**		
CAN	US NIH - Report on Carcinogens	S		Known to be Human Carcinogen (respirable size - occupational setting)**		
CAN	MAK	MAK		Carcinogen Group 1 - Substances that cause cancer in man**		
CAN	IARC	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources**		
CAN	IARC		Group 1 - Agent is	s Carcinogenic to humans**		
CAN	US NIH - Report on Carcinogens	S	Known to be a hu	man Carcinogen**		
CAN	GHS - Japan	GHS - Japan GHS - Australia		H350 - May cause cancer [Carcinogenicity - Category 1A]** H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]**		
CAN	GHS - Australia					
CAN	GHS - New Zealand		Carcinogenicity ca	ategory 1**		
MAM	GHS - Japan		repeated exposure	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]**		
GEN	GHS - Japan		H341 - Suspected mutagenicity - Car	d of causing genetic defects [Germ cell tegory 2]**		
MAM	GHS - Australia			amage to organs through prolonged or e [Specific target organ toxicity - e - Category 1]**		
MAM	GHS - New Zealand		Specific target org	gan toxicity - repeated exposure category		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
None found			No	b listings found on Additional Hazard Lists		

ID: 14808-60-7

SUBSTANCE NOTES: Crystalline silica is a natural impurity in limestone.

**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

POLYETHYLENE FIBERS ID: 9002-88-4 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-02-20 14:08:43 %: 1.0000 - 3.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier HAZARD TYPE LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION** No listings found on Additional Hazard Lists None found

AMINOETHYL-AMINOPROPYL-TRIMETHOXYSILANE

SUBSTANCE NOTES:

ID: 1760-24-3

nScreen: LT-UNK RC	C: None	NANO: No	SUBSTANCE ROLE: Adhesive
LIST NAME AND SOURCE		WARNINGS	
GHS - New Zealand		Hazardous to the a	quatic environment - chronic category 3
LIST NAME AND SOURCE		NOTIFICATION	
		No	listings found on Additional Hazard Lists
	GHS - New Zealand	GHS - New Zealand	GHS - New Zealand Hazardous to the action ST NAME AND SOURCE NOTIFICATION

CASTOR OIL, HYDROGENATED

ID: 8001-78-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARI	D SCREENING DATE: 2024-02-20 14:08:44
%: 1.0000 - 2.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists

BIS(2,2,6,6-TETRAMETHYL-4-PIPERIDINYL) SEBACATE

ID: **52829-07-9**

HAZARD DATA SOURCE: P	AZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-02-20 14:08:			
%: 0.1000 - 1.0000	GreenScreen: BM-1	enScreen: BM-1 RC: None		SUBSTANCE ROLE: Heat or UV stabilize		
HAZARD TYPE	LIST NAME AND SOURCE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances Waters	Hazardous to	Class 3 - Sev	vere Hazard to Waters		
EYE	GHS - New Zealand		Eye irritation	category 2		
MAM	GHS - Japan	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
EYE	GHS - Japan		H318 - Cause eye irritation	es serious eye damage [Serious eye damage /		
AQU	GHS - New Zealand		Hazardous to	the aquatic environment - chronic category 2		
AQU	GHS - Japan		H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]			
AQU	GHS - Japan	GHS - Japan		H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
MAM	GHS - Australia		H330 - Fatal Category 1 or	if inhaled [Acute toxicity (inhalation) - r 2]		
EYE	GHS - Australia			es serious eye damage [Serious eye irritation - Category 1]		
MAM	GHS - Japan		H330 - Fatal mist) - Catego	if inhaled [Acute toxicity (inhalation: dust, ory 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ON		
None found				No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:						

TK 12627 ID: 36443-68-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-20 14:08:44		
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Antioxidant	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances Haz Waters	ardous to	Class 2 - Hazard to	o Waters	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

BUMETRIZOLE	ID: 3896-11-5
HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2024-02-20 14:08:44

HAZARD DATA SOURCE: I	Pharos Chemical and Materials Lib	rary	HAZAF	RD SCREENING DATE: 2024-02-20 14:08:44	
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Heat or UV stabilizer	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
EYE	GHS - New Zealand		Eye irritation category 2		
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic cat		
SKI	GHS - New Zealand		Skin sensitisa	tion category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N	
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute		v4 Product Standard Restricted Substances ffective July 1, 2022	
			Core Restricti	ons	
SUBSTANCE NOTES:					

SUBSTANCE NOTES:

UNDISCLOSED	ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2024-02-20 14:08:45	
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	LIST NAME AND SOURCE	Ē	WARNINGS	
DEV	MAK	MAK		iroup B
CAN	MAK		Carcinogen Group risk under MAK/B	o 4 - Non-genotoxic carcinogen with low AT levels
MUL	German FEA - Substances Waters	Hazardous to	Class 2 - Hazard t	to Waters
MAM	GHS - Australia	GHS - Australia		amage to organs through prolonged or e [Specific target organ toxicity - e - Category 1]
DEV	GHS - Australia		H361d - Suspecte [Reproductive toxi	d of damaging the unborn child city - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

 ${\tt SUBSTANCE\ NOTES: Identity\ of\ this\ substance\ not\ disclosed\ to\ protect\ propietary\ information.}$

1,2-ETHANEDIAMINE, N,N-BIS3-(TRIMETHOXYSILYL)PROPYL-

ID: **74956-86-8**

TE: 2024-02-20 14:08:	CREENING DATE:	HAZARD S	,	Pharos Chemical and Materials Library	HAZARD DATA SOURCE:
E ROLE: Impurity	SUBSTANCE R	NANO: No	RC: None	GreenScreen: NoGS	%: 0.1000 - 1.0000
		WARNINGS		LIST NAME AND SOURCE	HAZARD TYPE
HPD Priority Hazard List	nings found on HPD	No wa			None found
		NOTIFICATION		LIST NAME AND SOURCE	ADDITIONAL LISTINGS
n Additional Hazard List	listings found on Ad	No			None found
	listings found or	No		is substance is an impurity in aminosilane.	

N,N'-BIS(3-(TRIMETHOXYSILYL)PROPYL)ETHANE-1,2-DIAMINE

ID: 68845-16-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD S	CREENING DATE: 2024-02-20 14:08:44
%: 0.1000 - 1.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Impurity
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: This substance is an impurity in aminosilane.

 ${\small \verb|SUBSTANCE| NOTES: This substance is a natural impurity in limestone.}$

MAGNESIUM CARBONATE ID: 546-93-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-02-20 14:		
%: 0.1000 - 1.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Impurity
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

ALUMINUM OXIDE					ID: 1344-28-1	
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ry	HAZARD S	CREENING DATE:	2024-02-20 14:08:45	
%: 0.1000 - 1.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE F	OLE: Impurity	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
MAM	GHS - Japan	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	ovation Institute	C2C Certified v4 List (RSL) - Effect		estricted Substances	
			Biological and En	vironmentally Releas	sed Materials	
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	ovation Institute	C2C Certified v4		estricted Substances	
			Children's Produc	ets		

SUBSTANCE NOTES: This substance is a natural impurity in limestone.

FERRIC OXIDE ID: 1309-37-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-02-20 14:08:45

%: 0.1000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effect but not sufficient for classification**		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxifollowing repeated exposure - Category 1]**		
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]**		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additional Hazard Lists	

 ${\small \verb|SUBSTANCE| NOTES: This substance is a natural impurity in limestone.}$

MICRONIZED WAX				ID: 64742-60-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAR	D SCREENING DATE: 2024-02-20 14:08:45
%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

^{**}Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Schoolcraft, MI ISSUE DATE: 2022-11-25 00:00:00

CERTIFIER OR LAB: None

EXPIRY DATE:

EXPIRY DATE:

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: N/A - This product is an exterior product therefore is not to be tested for VOC emissions.

VOC CONTENT

MAS Certified Green - VOC Content

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Schoolcraft, MI ISSUE DATE: 2021-04-15 00:00:00

CERTIFIER OR LAB: None

CERTIFICATE URL: https://soprema.us/wp-

content/uploads/2020/09/soprema_sds_sopramastic_SP1.pdf

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SOPRALENE FLAM 180

MANUFACTURER (OR GENERIC): SOPREMA

HPD URL: https://soprema.us/documents/?document-category=hpd

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: SOPRAMASTIC SP1 is an accessory commonly used in membrane roofing assemblies such as those including SOPRALENE FLAM 180.

Section 5: General Notes

Some substances remain undisclosed to protect proprietary information. For the same reason, ranges were given for percentages of each substance. This product does not include any LBC Red List substance (whether disclosed or undisclosed).

MANUFACTURER INFORMATION

MANUFACTURER: Soprema ADDRESS: Quadral Drive Wadsworth, Ohio 44281

COUNTRY: États-Unis LATITUDE: -81.7610000 LONGITUDE: 41.0194000 WEBSITE: www.soprema.us

CONTACT NAME: Jean-François Côté

 $\label{eq:time-standards} \mbox{TITLE: Director, Standards and Scientific Affairs}$

PHONE: 877-626-6688 x114211 EMAIL: jfcote@soprema.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / **Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely restor compliance with the HPD standard noted.	per a control and a control and control and a control and
SOPRAMASTIC SP1	HPD v2.3 created via HPDC Builder Page 14 of 14