LASTOBOND SHIELD HT by Soprema

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 07 30 00

PRODUCT DESCRIPTION: LASTOBOND SHIELD HT is a self-adhesive roof underlayment and eave protection membrane composed of SBS modified bitumen with a slip resistant tri-laminate woven polyethylene top surface. The underface is covered with a "split-back" silicone release film. LASTOBOND SHIELD can be used on plywood, OSB or asphaltic boards such as SOPRABOARD and installed on various slopes.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method
- **Threshold Disclosed Per**
- Material
- Product

Threshold level

- C 100 ppm
- € 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS
- C Other

Residuals/Impurities

Residuals/Impurities

Considered in 1 of 3 Materials

Explanation(s) provided for Residuals/Impurities?

• Yes • No

Are All Substances Above the Threshold Indicated:

Characterized

Yes ○ No

Percent Weight and Role Provided?

Screened

Yes ○ No.

Using Priority Hazard Lists with Results Disclosed?

Identified

C Yes C No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SELF-ADHESIVE BITUMEN MIXTURE [ASPHALT LT-1 | CAN STYRENE BUTADIENE RUBBER (SBR) LT-UNK DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI); (DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI);) LT-1 PBT | CAN | MUL LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT (LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT) LT-P1 GAS OILS, PETROLEUM, HEAVY VACUUM (GAS OILS, PETROLEUM, HEAVY VACUUM) LT-1 | CAN | MUL HYDROGEN SULFIDE (HYDROGEN SULFIDE) LT-P1 | AQU | MAM | END | MUL | PHY NICKEL (NICKEL) LT-1 | CAN | RES | SKI | MAM | MUL VANADIUM (VANADIUM) LT-1 | MUL | CAN | GEN LEAD (LEAD) LT-1 | MAM | DEL | CAN | PBT | REP | AQU | MUL | END | GEN POLYCYCLIC AROMATIC HYDROCARBONS (POLYCYCLIC AROMATIC HYDROCARBONS) LT-1 | PBT | CAN NAPHTHALENE (NAPHTHALENE) BM-1 | CAN | PBT | AQU | MUL | END] WOVEN POLYETHYLENE FACER [POLYETHYLENE LT-UNK UNDISCLOSED LT-1 | CAN UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK | PBT UNDISCLOSED NoGS UNDISCLOSED LT-UNK] SILICONE-COATED RELEASE FILM [POLYETHYLENE LT-UNK POLYDIMETHYLSILOXANES LT-P1 | PBT]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No substance other than those listed in this HPD have been added to the finished product during its manufacturing. Residuals or impurities could not be considered for 2 materials because information was not provided to the manufacturer by the raw materials vendors. The precise composition of the self-adhesive bitumen mixture was not disclosed to protect proprietary information; ranges were given.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

Management: ISO 9001:2015 Quality management systems Management: ISO 14001:2015 Environmental management systems Management: OHSAS-18001 Occupational Health and Safety Assessment Standard

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes
No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2018-11-28 PUBLISHED DATE: 2018-12-10 EXPIRY DATE: 2021-11-28

LASTOBOND SHIELD HT hpdrepository.hpd-collaborative.org



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

SELF-ADHESIVE BITUMEN MIXTURE

%: 90.2000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals were considered through information disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: The self-adhesive bitumen is composed of different substances blended to a homogeneous mixture. Naphtenic oil is a component of this mixture. Different oils of different constitution are available. This explains why CAS #64742-52-5 can be present at 0% to 15%, CAS #64742-58-1 can be present at 0% to 12%, and CAS #64741-57-7 can be present at 0% to 12%. Hydrogen sulfide is a declared impurity of one of the sources of naphtenic oil.

ASPHALT				ID: 8052-42-
%: 75.0000 - 85.0000	GS: LT-1	RC: None	nano: No	ROLE: Main waterproofing compound
HAZARDS:	AGENCY(IES) WI	TH WARNINGS:		
CANCER	IARC			Group 2b - Possibly carcinogenic to humans
CANCER	US CDC - O	US CDC - Occupational Carcinogens		Occupational Carcinogen
CANCER	MAK			Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

%: 7.0000 - 15.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Polymeric modifier for adhesion and heat resistance			
HAZARDS:	AGENCY(IES) WITH WA	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists						

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI); (DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI);)

ID: 64742-52-5

%: 0.0000 - 15.0000

GS: LT-1

ROLE: Plasticizer for adhesion

None	No	improvement

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT (LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT)

ID: 64742-58-1

%: 0.0000 - 12.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Plasticizer for adhesion improvement
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{Exact\ percentage\ not\ disclosed\ to\ protect\ proprietary\ information.}$

GAS OILS, PETROLEUM, HEAVY VACUUM (GAS OILS, PETROLEUM, HEAVY VACUUM)

ID: 64741-57-7

,	•		
%: 0.0000 - 12.0000	GS: LT-1 RC: None	NANO: No ROLE: Plasticizer for adhesion improvement	
HAZARDS:	AGENCY(IES) WITH WARNINGS:		
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer	
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man	
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters	
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence	
CANCER	Australia - GHS	H350 - May cause cancer	

HYDROGEN SULFIDE (HYDROGEN SULFIDE)

ID: 7783-06-4

%: Impurity/Residual	GS: LT-P1	RC: None	nano: No	ROLE: Impurity/Residual	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
ACUTE AQUATIC	EU - GHS (H-Statements)		H400 - Very to	xic to aquatic life	
MAMMALIAN	EU - GHS (H-Statements)		H330 - Fatal if	inhaled	
ENDOCRINE	TEDX - Potential Endocrin	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MULTIPLE	German FEA - Substances Waters	s Hazardous to	Class 2 - Haza	rd to Waters	
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances		Extremely Haz	ardous Substances	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H220 - Extreme	ely flammable gas	

SUBSTANCE NOTES: Hydrogen sulfide may be present in asphalt and petroleum oil.

NICKEL (NICKEL)

%: Impurity/Residual	GS: LT-1	RC: None	NANO: No	ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH	H WARNINGS:		
CANCER	IARC		Group	o 1 - Agent is Carcinogenic to humans
CANCER	IARC		Group	2b - Possibly carcinogenic to humans
CANCER	CA EPA - Pro	p 65	Carcin	nogen
CANCER	US CDC - Oc	cupational Carcinogens	Оссир	pational Carcinogen
CANCER	US NIH - Rep	US NIH - Report on Carcinogens		onably Anticipated to be Human Carcinogen
RESPIRATORY	AOEC - Asthr	magens	Asthm only	nagen (ARs) - sensitizer-induced - inhalable forms
SKIN SENSITIZE	EU - GHS (H-	EU - GHS (H-Statements)		- May cause an allergic skin reaction
CANCER	EU - GHS (H-	Statements)	H351	- Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-	Statements)		- Causes damage to organs through prolonged or ted exposure
MULTIPLE	German FEA Waters	German FEA - Substances Hazardous to Waters		2 - Hazard to Waters
CANCER	MAK	MAK		nogen Group 1 - Substances that cause cancer in
RESPIRATORY	MAK			tizing Substance Sah - Danger of airway & skin tization

VANADIUM (VANADIUM)	ID: 7440-62-2
---------------------	----------------------

%: Impurity/Residual	gs: LT-1	RC: None	NANO: No	ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH	WARNINGS:		
MULTIPLE	German FEA Waters	- Substances Hazardou	s to Class 3	- Severe Hazard to Waters
CANCER	MAK		Carcino man	ogen Group 2 - Considered to be carcinogenic for
GENE MUTATION	MAK		Germ C	Cell Mutagen 2

SUBSTANCE NOTES: Vanadium may be present as impurity in asphalt.

LEAD (LEAD) 1D: 7439-92-1

%: Impurity/Residual	GS: LT-1	RC: None	nano: No	ROLE: Impurity/Residual	
HAZARDS:	AGENCY(IES) WITH WARI	NINGS:			
MAMMALIAN	EU - R-phrases		R20 - I	Harmful by Inhalation (gas or vapor or dust/mist)	
DEVELOPMENTAL	EU - R-phrases		R61 - I	May cause harm to the unborn child	
DEVELOPMENTAL	G&L - Neurotoxic	Chemicals	Develo	opmental Neurotoxicant	
CANCER	US EPA - IRIS Car	cinogens	(1986)	Group B2 - Probable human Carcinogen	
CANCER	IARC		Group	2a - Agent is probably Carcinogenic to humans	
CANCER	IARC		Group	2b - Possibly carcinogenic to humans	
CANCER	CA EPA - Prop 65		Carcin	Carcinogen	
DEVELOPMENTAL	CA EPA - Prop 65		Develo	Developmental toxicity	
РВТ	US EPA - Priority I	US EPA - Priority PBTs (NWMP)		у РВТ	
РВТ	WA DoE - PBT		PBT		
REPRODUCTIVE	CA EPA - Prop 65		Repro	ductive Toxicity - Female	
REPRODUCTIVE	CA EPA - Prop 65		Repro	ductive Toxicity - Male	
CANCER	US NIH - Report o	n Carcinogens	Reaso	nably Anticipated to be Human Carcinogen	
PBT	US EPA - Priority I	PBTs (PPT)	Priority	у РВТ	
РВТ	US EPA - Toxics F	Release Inventory PBTs	PBT		
РВТ	OSPAR - Priority F concern	OSPAR - Priority PBTs & EDs & equivalent concern		Chemical for Priority Action	
PBT	OR DEQ - Priority	Persistent Pollutants	Priority	y Persistent Pollutant - Tier 1	
DEVELOPMENTAL	US NIH - Reprodu	ctive & Developmental	Clear I	Evidence of Adverse Effects - Developmental Toxicity	

	Monographs	
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
DEVELOPMENTAL	EU - GHS (H-Statements)	H360Df - May damage the unborn child. Suspected of damaging fertility
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
REPRODUCTIVE	New Zealand - GHS	6.8A - Known or presumed human reproductive or developmental toxicants
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1A
GENE MUTATION	MAK	Germ Cell Mutagen 3a
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A
CANCER	Korea - GHS	Carcinogenicity - Category 1 [H350 - May cause cancer]
REPRODUCTIVE	Korea - GHS	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen

SUBSTANCE NOTES: Lead may be present as impurity in asphalt.

POLYCYCLIC AROMATIC HYDROCARBONS (POLYCYCLIC AROMATIC HYDROCARBONS)

ID: 130498-29-2

%: Impurity/Residual	GS: LT-1	RC: None	NANO: No	ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
РВТ	WA DoE - PBT	PBT		
CANCER	US NIH - Report on Carcinogens	Reaso	nably Anticipate	d to be Human Carcinogen
PBT	OSPAR - Priority PBTs & EDs & equivaler concern	nt PBT -	Chemical for Pri	ority Action
РВТ	US EPA - Toxics Release Inventory PBTs	PBT		

SUBSTANCE NOTES: Polycyclic aromatic hydrocarbons may be present as impurity in asphalt.

%: Impurity/Residual	gs: BM-1	RC: None	nano: No	ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH WA	ARNINGS:		
CANCER	US EPA - IRIS C	arcinogens	(1986) G	roup C - Possible human Carcinogen
CANCER	IARC		Group 2	b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 6	65	Carcino	gen
РВТ	US EPA - Priorit	y PBTs (NWMP)	Priority F	PBT
РВТ	WA DoE - PBT		РВТ	
CANCER	US NIH - Report	on Carcinogens	Reasona	ably Anticipated to be Human Carcinogen
РВТ	OSPAR - Priority concern	/ PBTs & EDs & equivalent	: PBT - CI	hemical for Priority Action
ACUTE AQUATIC	EU - GHS (H-Sta	atements)	H400 - V	ery toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Sta	atements)	H410 - V	ery toxic to aquatic life with long lasting effects
CANCER	EU - GHS (H-Sta	atements)	H351 - S	Suspected of causing cancer
MULTIPLE	ChemSec - SIN	List	CMR - C	Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	ChemSec - SIN	List	Endocrir	ne Disruption
ENDOCRINE	TEDX - Potentia	I Endocrine Disruptors	Potentia	l Endocrine Disruptor
MULTIPLE	German FEA - S Waters	ubstances Hazardous to	Class 3	- Severe Hazard to Waters
CANCER	MAK		Carcinoo man	gen Group 2 - Considered to be carcinogenic for
РВТ	US EPA - Toxics	Release Inventory PBTs	PBT	

SUBSTANCE NOTES: Naphthalene may be present as impurity in asphalt.

WOVEN POLYETHYLENE FACER

%: 8.1000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals could not be considered because information was not provided to the manufacturer by the raw materials vendors.

OTHER MATERIAL NOTES: Polyethylene grid coated with polyethylene continuous film with colour printing.

POLYETHYLENE ID: 9002-88-4

%: 90.0000 - 100.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Provide strength and resistance to UV exposure

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SUBSTANCE NOTES: Mixture of HDPE to provide strength to the woven material and LDPE to ensure barrier continuity of the finished facer

UNDISCLOSED

%: 1.0000 - 2.0000	GS: LT-1	RC: None	nano: No	ROLE: Colorant for polyethylene
HAZARDS:	AGENCY(IES) WITH	H WARNINGS:		
CANCER	US CDC - Oc	cupational Carcinog	ens	Occupational Carcinogen
CANCER	CA EPA - Prop 65			Carcinogen - specific to chemical form or exposure route
CANCER	IARC			Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK			Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: LT-P1	RC: None	nano: No	ROLE: Antioxidant for polyethylene			
HAZARDS:	AGENCY(IES) WITH WA	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists						

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Antioxidant for polyethylene
HAZARDS:	AGENCY(IES) WITH WARN	INGS:		
PBT	EU - ESIS PBT		Und	er PBT evaluation
PBT	EU - ESIS PBT		Und	er PBT evaluation

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

UNDISCLOSED

%: 0.0000 - 0.3000	GS: NoGS	RC: None	nano: No	ROLE: UV Absorber for polyehtylene			
HAZARDS:	AGENCY(IES) WITH	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings f	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

UNDISCLOSED

%: 0.0000 - 0.3000	GS: LT-UNK	RC: None	nano: No	ROLE: UV Absorber for polyehtylene		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

SILICONE-COATED RELEASE FILM

%: 1.7000

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: NO

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Silicone-coated film that is removed prior to installation of the product.

POLYETHYLENE ID: 9002-88-4

%: 95.0000 - 99.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Base film for removable backing material

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The exact nature of the polymer used in this film is a proprietary information from the raw material supplier. It was impossible to obtain disclosure of the nature of the film. Because it is named "polyolefin film" we chose to classify it as polyethylene in this HPD.

POLYDIMETHYLSILOXANES ID: 63148-62-9

%: 1.0000 - 5.0000	GS: LT- P1	RC: None	NANO: No	ROLE: Release compound to allow installation of adhesive product
HAZARDS:	AGENCY(IES) V	VITH WARNINGS:		
РВТ	EC - CEPA	DSL		Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

SUBSTANCE NOTES: The exact nature of the silicone polymer used as a release agent in this film is a proprietary information from the raw material supplier. It was impossible to obtain disclosure of the nature of the silicone.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: N/A

CERTIFICATE URL:

ISSUE DATE: 2018-

11-28

05-28

EXPIRY DATE:

CERTIFIER OR LAB: N/A

CERTIFIER OR LAB: SGS ICS

CERTIFICATION AND COMPLIANCE NOTES: N/A - This product is an exterior product therefore is not to be tested for VOC emissions.

ISSUE DATE: 2018-

MANAGEMENT

ISO 9001:2015 Quality management systems

05-07

EXPIRY DATE: 2021-

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Facilities covered by this

certification: St Julien du Sault, France;

Strasbourg, France; Val de Reuil, France;

Sorgues, France; Luynes, France; Ambert,

France; Cestas, France; La Chapelle Saint Luc,

France; Saint Rambert, France; Golbey, France;

Drummondville, Québec, Canada; Chilliwack,

British Columbia, Canada; Wadsworth, Ohio,

USA; Richmond, Québec, Canada; Gulfport, Mississippi, USA; Beauport, Québec, Canada;

Oberrosbach, Germany; Grobbendonk,

Belgium; Andenne, Belgium; Ijlst, Netherlands;

Chignolo d'Isola Bergamo, Italy; Frosinone,

Italy; San Vito al Tagliamento, Italy;

Verolanuova, Italy; Salgareda, Italy; Blonie,

Poland; Spreitenbach, Switzerland; Cham,

Switzerland.

CERTIFICATE URL: https://www.soprema.ca/wp-

content/uploads/2017/06/SOPREMA-certificat-

iso-9001-v2.pdf

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842815. Although all the plants cited above are covered by the certification, the only plant that manufactures the product covered by this HPD is the plant in Drummondville, Québec, Canada.

MANAGEMENT

ISO 14001:2015 Environmental management systems

05-07

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Facilities covered by this

certification: St Julien du Sault, France;

Strasbourg, France; Val de Reuil, France;

Sorgues, France; La Chapelle Saint Luc,

France; Saint Rambert, France; Golbey, France;

Drummondville, Québec, Canada; Chilliwack,

British Columbia, Canada; Wadsworth, Ohio,

USA; Richmond, Québec, Canada; Beauport,

ISSUE DATE: 2018-05-28

EXPIRY DATE: 2021-

CERTIFIER OR LAB: SGS ICS

Québec, Canada; Grobbendonk, Belgium; Andenne, Belgium; Ijlst, Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; Salgareda, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland. CERTIFICATE URL: https://www.soprema.ca/wpcontent/uploads/2017/06/SOPREMA-certificatiso-14001-v2.pdf

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842816. Although all the plants cited above are covered by the certification, the only plant that manufactures the product covered by this HPD is the plant in Drummondville, Québec, Canada.

ISSUE DATE: 2018-

05-28

MANAGEMENT

OHSAS-18001 Occupational Health and Safety Assessment Standard

CERTIFIER OR LAB: SGS ICS

EXPIRY DATE: 2021-

03-11

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Facilities covered by this

certification: St Julien du Sault, France; Strasbourg, France; La Chapelle Saint Luc, France; Saint Rambert, France; Drummondville, Québec, Canada; Chilliwack, British Columbia,

Canada; Beauport, Québec, Canada;

Wadsworth, Ohio, USA; Gulfport, Mississippi, USA; Andenne, Belgium; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al

Tagliamento, Italy; Verolanuova, Italy;

Drummondville, Québec, Canada.

Salgareda, Italy.

CERTIFICATE URL: https://www.soprema.ca/wpcontent/uploads/2017/06/SOPREMA-certificat-

ohsas-18001-v2.pdf

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842817. Although all the plants cited above are covered by the certification, the only plant that manufactures the product by this HPD is the plant in



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PRIMER FOR SELF-ADHESIVE MEMBRANE

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

The use of a primer is required before the installation of LASTOBOND SHIELD HT. Acceptable primers include ELASTOCOL STICK (500 g/L VOC content), ELASTOCOL STICK ZERO (0 g/L VOC content including 240 g/L exempt VOC as per EPA), and ELASTOCOL STICK H2O (0 g/L VOC content).

HPD URL: No HPD Available



Section 5: General Notes

Residuals could not be considered for 2 materials as information was not provided to the manufacturer by raw

materials suppliers.	
LASTOBOND SHIELD HT hpdrepository.hpd-collaborative.org	HPD v2.1 created via HPDC Builder Page 13 of 15

MANUFACTURER INFORMATION

MANUFACTURER: Soprema

ADDRESS: 1688 Jean-Berchmans-Michaud Drummondville QC J2C 8E9, Canada

WEBSITE: www.soprema.ca

CONTACT NAME: Jean-François Côté

TITLE: Director, Standards and Scientific Affairs

PHONE: 819-478-8166 x.3290 EMAIL: jfcote@soprema.ca

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer **DEV** Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.