

CLASSIFICATION: 07 22 16

created via: HPDC Online Builder

PRODUCT DESCRIPTION: SOPRA-ISO is a polyisocyanurate thermal insulation board used in roofing assemblies, composed of a closed-cell, rigid foam core faced on both surfaces with a glass fiber reinforced cellulosic facer.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities Considered in 1 of 2 Materials

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

Are All Substances Above the Threshold Indicated:

Characterized

Percent Weight and Role Provided?

- Yes
- No

Screened

Using Priority Hazard Lists with Results Disclosed?

- Yes
- No

Identified

Name and Identifier Provided?

- Yes
- No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[MATERIAL](#) | [SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)  
[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

[POLYISOCYANURATE FOAM](#) | [POLYMERIC MDI \(PMDI\)](#) [LT-UNK](#) | RES | MUL | [CAN POLYETHER POLYOL](#) [LT-UNK](#) | [DIETHYLENE GLYCOL \(DIETHYLENE GLYCOL\)](#) [LT-P1](#) | END | [PENTANE](#) [LT-P1](#) | AQU | MAM | MUL | [PHY POTASSIUM ACETATE](#) [LT-UNK](#) | [2-ETHYLHEXANOIC ACID, POTASSIUM SALT](#) [LT-UNK](#) | [BIS\(2-DIMETHYLAMINOETHYL\)\(METHYL\)AMINE](#) [LT-P1](#) | MAM | SKI | MUL | [POLYSILOXANE](#) [NoGS](#) | [TRIS\(1-CHLORO-2-PROPYL\)PHOSPHATE \(TCPP, TMCP\)](#) [BM-1](#) | END | PBT | MUL | [WATER](#) [BM-4](#) | [METHYLENE BISPHENYL DIISOCYANATE \(PURE MDI\)](#) [\(METHYLENE BISPHENYL DIISOCYANATE \(PURE MDI\)\)](#) [LT-UNK](#) | RES | MUL | SKI | EYE | [CAN DIPHENYLMETHANE-2,4'-DIISOCYANATE \(2,4'-MDI\)](#) [\(DIPHENYLMETHANE-2,4'-DIISOCYANATE \(2,4'-MDI\)\)](#) [LT-UNK](#) | MUL | SKI | EYE | RES | [CAN DIPHENYLMETHANE-2,2'-DIISOCYANATE \(2,2'-MDI\)](#) [\(DIPHENYLMETHANE-2,2'-DIISOCYANATE \(2,2'-MDI\)\)](#) [LT-UNK](#) | MUL | SKI | EYE | RES | [CAN ETHYLENE GLYCOL \(ETHYLENE GLYCOL\)](#) [BM-1](#) | DEL | END | [GLASS FIBER REINFORCED CELLULOSIC FACER](#) | [CELLULOSE, MICROCRYSTALLINE \(CELLULOSE FIBERS\)](#) [NoGS](#) | [SOLID GLASS AND GLASS / MINERAL FIBER \(SEE VARIANTS\)](#) [LT-UNK](#) | [CAN WOOD DUST - UNSPECIFIED \(WOOD DUST - UNSPECIFIED\)](#) [NoGS](#) | [UNDISCLOSED](#) [LT-UNK](#) | [UNDISCLOSED](#) [LT-UNK](#) |

Number of Greenscreen BM-4/BM3 contents..... 1  
Contents highest concern GreenScreen Benchmark or List translator Score..... BM-1  
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

SOPRA-ISO is available in various thicknesses, up to 5 inches. The percentage of foam and facer will vary with thickness, which explains why ranges were given. The exact composition of the polyisocyanurate foam was not disclosed to protect proprietary information; ranges were also given. No substance other than those listed in this HPD have been added to the finished product during its manufacturing. Residuals or impurities could not be considered because information was not provided to the manufacturer by the raw materials vendors.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE

*See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method - N/A  
Other: CAN/ULC-S107 (Drummondville)  
Other: CSA A123.21 (Drummondville)  
Other: FM 4470 (Drummondville)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared  
VERIFIER: Vertima  
VERIFICATION #: Ute-3547

SCREENING DATE: 2018-03-02  
PUBLISHED DATE: 2018-03-02  
EXPIRY DATE: 2021-03-02

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### POLYISOCYANURATE FOAM

%: 66.3000 - 92.4000

HPD URL: No HPD available for this material

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals were considered through information disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Percentage of foam in SOPRA-ISO varies with thickness of the product as follows: 1-inch SOPRA-ISO: 66.3% foam; 2-inch SOPRA-ISO: 79.0% foam; 4-inch SOPRA-ISO: 88.3% foam; 5-inch SOPRA-ISO: 92.4% foam. The exact percentage of substances in foam were not disclosed to protect proprietary information. Ranges were given.

#### POLYMERIC MDI (PMDI)

ID: 9016-87-9

%: 55.0000 - 65.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Isocyanate base for polymer backbone

HAZARDS: AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (G) - generally accepted

RESTRICTED LIST

US EPA - PPT Chemical Action Plans

EPA Chemical of Concern - Action Plan published

RESPIRATORY

US EPA - PPT Chemical Action Plans

Inhalation sensitizer causing asthma and lung damage

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

RESPIRATORY

MAK

Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: Polymeric MDI reacts completely during production of the foam.

#### POLYETHER POLYOL

ID: 9082-00-2

%: 25.0000 - 30.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Polyol base for polymer backbone

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Polyester polyol reacts completely during foam production.

#### DIETHYLENE GLYCOL (DIETHYLENE GLYCOL)

ID: 111-46-6

%: Impurity/Residual

GS: LT-P1

RC: None

NANO: No

ROLE: Impurity/Residual

HAZARDS: AGENCY(IES) WITH WARNINGS:

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: This substance is an impurity found in polyether polyol and potassium-based catalyst.

#### PENTANE

ID: 109-66-0

%: 3.0000 - 10.0000

GS: LT-P1

RC: None

NANO: No

ROLE: Blowing agent

HAZARDS: AGENCY(IES) WITH WARNINGS:

CHRON AQUATIC

EU - GHS (H-Statements)

H411 - Toxic to aquatic life with long lasting effects

MAMMALIAN

EU - GHS (H-Statements)

H304 - May be fatal if swallowed and enters airways

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES: Pentane isomer(s) used as blowing agent. Exact nature and percentages of isomers are not disclosed to protect proprietary information.

#### POTASSIUM ACETATE

ID: 127-08-2

%: 0.1000 - 1.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Catalyst

HAZARDS:		AGENCY(IES) WITH WARNINGS:	
None Found	No warnings found on HPD Priority lists		
SUBSTANCE NOTES: Catalyst for polymerization.			

**2-ETHYLHEXANOIC ACID, POTASSIUM SALT**

ID: 3164-85-0

%: 0.1000 - 2.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Catalyst
HAZARDS:		AGENCY(IES) WITH WARNINGS:		
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES: Catalyst for polymerization.				

**BIS(2-DIMETHYLAMINOETHYL)(METHYL)AMINE**

ID: 3030-47-5

%: 0.1000 - 1.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Catalyst
HAZARDS:		AGENCY(IES) WITH WARNINGS:		
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin		
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SUBSTANCE NOTES: Catalyst for polymerization.				

**POLYSILOXANE**

ID: 9011-19-2

%: 0.1000 - 1.0000	GS: NoGS	RC: None	NANO: No	ROLE: Surfactant
HAZARDS:		AGENCY(IES) WITH WARNINGS:		
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES: Foam control agent.				

**TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (TCPP, TMCP)**

ID: 13674-84-5

%: 0.1000 - 5.0000	GS: BM-U	RC: None	NANO: No	ROLE: Fire retardant
HAZARDS:		AGENCY(IES) WITH WARNINGS:		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
PBT	EHP - San Antonio Statement on BFRs & CFRs	Flame retardant substance class of concern for PB&T & long range transport		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment		
SUBSTANCE NOTES: TCPP is used as flame retardant.				

**WATER**

ID: 7732-18-5

%: 0.1000 - 1.0000	GS: BM-4	RC: None	NANO: No	ROLE: Co-blowing agent
HAZARDS:		AGENCY(IES) WITH WARNINGS:		
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES: Plain water				

**METHYLENE BISPHENYL DIISOCYANATE (PURE MDI) (METHYLENE BISPHENYL DIISOCYANATE (PURE MDI))**

ID: 101-68-8

%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: No	ROLE: Impurity/Residual
HAZARDS:		AGENCY(IES) WITH WARNINGS:		
RESPIRATORY	AOEC - Asthmagens	Asthmagens (G) - generally accepted		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		

SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: This substance is an impurity in polymeric MDI.

**DIPHENYLMETHANE-2,4'-DIISOCYANATE (2,4'-MDI) (DIPHENYLMETHANE-2,4'-DIISOCYANATE (2,4'-MDI))**

ID: 5873-54-1

%: Impurity/Residual	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Impurity/Residual</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage		

SUBSTANCE NOTES: This substance is an impurity in polymeric MDI.

**DIPHENYLMETHANE-2,2'-DIISOCYANATE (2,2'-MDI) (DIPHENYLMETHANE-2,2'-DIISOCYANATE (2,2'-MDI))**

ID: 2536-05-2

%: Impurity/Residual	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Impurity/Residual</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage		

SUBSTANCE NOTES: This substance is an impurity in polymeric MDI.

**ETHYLENE GLYCOL (ETHYLENE GLYCOL)**

ID: 107-21-1

%: Impurity/Residual	GS: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Impurity/Residual</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity		
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

SUBSTANCE NOTES: This substance is an impurity in potassium acetate.

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because this information was not disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Percentage of cellulosic facer in SOPRA-ISO varies with thickness of the product as follows: 1-inch SOPRA-ISO: 33.7% facer; 2-inch SOPRA-ISO: 21.0% facer; 4-inch SOPRA-ISO: 11.7% facer; 5-inch SOPRA-ISO: 7.6% facer.

**CELLULOSE, MICROCRYSTALLINE (CELLULOSE FIBERS)**

ID: 9004-34-6

#: **60.0000 - 75.0000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Main component of board facer material**

HAZARDS: AGENCY(IES) WITH WARNINGS:  
None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Cellulosic base for board facer material.

**SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)**

ID: 65997-17-3

#: **10.0000 - 10.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Reinforcing for mat**

HAZARDS: AGENCY(IES) WITH WARNINGS:  
**CANCER** EU - GHS (H-Statements) H351 - Suspected of causing cancer

SUBSTANCE NOTES: Continuous filament glass fiber

**WOOD DUST - UNSPECIFIED (WOOD DUST - UNSPECIFIED)**

ID: Not registered

#: **0.0000 - 75.0000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Alternate component of board facer material**

HAZARDS: AGENCY(IES) WITH WARNINGS:  
None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Wood dust may be used to replace a portion of the cellulose fibers as the main component in the facer material.

**UNDISCLOSED**

#: **0.0000 - 15.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Sizing agent**

HAZARDS: AGENCY(IES) WITH WARNINGS:  
None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Undisclosed additive used to control water absorption of facer material.

**UNDISCLOSED**

#: **0.0000 - 15.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Sizing agent**

HAZARDS: AGENCY(IES) WITH WARNINGS:  
None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Undisclosed additive used to control water absorption of facer material.

**Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS**

CDPH Stantard Method - N/A

CERTIFYING PARTY: Self-declared ISSUE DATE: 2018-02-26 EXPIRY DATE: CERTIFIER OR LAB: N/A  
APPLICABLE FACILITIES: N/A  
CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: N/A - This product is an exterior product therefore is not to be tested for VOC emissions.

**OTHER**

CAN/ULC-S107

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: Drummondville, Québec, Canada  
CERTIFICATE URL: http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/showpage.html?  
name=TGFU.R19921&ccnshorttitle=Roofing+Systems&objid=1083620758&cfjid=1073741824&version=versionless&parent\_id=1073993597&sequence=1

ISSUE DATE: 2012-01-01  
EXPIRY DATE: 01-01  
CERTIFIER OR LAB: Underwriters Laboratories of Canada

CERTIFICATION AND COMPLIANCE NOTES: This product is listed in a large number of fire-rated roofing assemblies. These listings are maintained through periodic audits from ULC in the SOPREMA plants.

**OTHER** **CSA A123.21 (Drummondville)**

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: Drummondville, Québec, Canada  
CERTIFICATE URL: http://www.exp.com/exp.do?action=getFile&fileId=2872&lang=en

ISSUE DATE: 2010-12-05  
EXPIRY DATE: 2018-04-30  
CERTIFIER OR LAB: Exp

CERTIFICATION AND COMPLIANCE NOTES: This product has been tested in a large number of roofing assemblies. One example of certification report is report PUB-DRU168540 .

**OTHER** **FM 4470 (Drummondville)**

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: Drummondville, Québec, Canada  
CERTIFICATE URL:

ISSUE DATE: 2012-01-01  
EXPIRY DATE:  
CERTIFIER OR LAB: FM Approvals (Factory Mutual)

CERTIFICATION AND COMPLIANCE NOTES: This product is present in a large number of roofing assemblies tested for resistance to wind uplift. FM Approvals Certificate Number 3010173. These listings are maintained through periodic audits from FM in the SOPREMA plants.

**+ Section 4: Accessories**

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

**DUOTACK** **HPD URL: No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:  
SOPRA-ISO can be installed by various methods. Installation with DUOTACK adhesive (0 g/L VOC content) is one of these methods. DUOTACK is installed in ribbons spaced as specified to obtain required wind uplift resistance. SOPRA-ISO panels are then laid in adhesive.

**FASTENER** **HPD URL: NO HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:  
SOPRA-ISO can be installed by various methods. Installation with fasteners (screws and plates) is one of these methods. SOPRA-ISO boards are laid down and metal fasteners are screwed through the boards at spacing determined by the required wind uplift resistance.

**HOT ASPHALT** **HPD URL: No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:  
SOPRA-ISO can be installed by various methods. Installation with hot asphalt is one of these methods. Asphalt is heated in a kettle to a liquid form and installed on the roof deck with a mop. SOPRA-ISO is then laid down on the asphalt. Upon cooling, asphalt solidifies and holds the boards.

**📖 Section 5: General Notes**

Residuals were considered through information provided to the manufacturer by raw materials suppliers.

**🔗 Section 6: References**

**MANUFACTURER INFORMATION**

MANUFACTURER: **Soprema**  
ADDRESS: **1688 Jean-Berchmans-Michaud  
Drummondville Québec J2C 8E9, Canada**  
WEBSITE: **www.soprema.ca**

CONTACT NAME: **Jean-François Côté**  
TITLE: **Director, Standards and Scientific Affairs**  
PHONE: **819-478-8166 x.3290**  
EMAIL: **jfcote@soprema.ca**

**KEY**

## Hazard Types

**AQU** Aquatic toxicity  
**CAN** Cancer  
**DEV** Developmental toxicity  
**END** Endocrine activity  
**EYE** Eye irritation/corrosivity  
**GEN** Gene mutation

**GLO** Global warming  
**MAM** Mammalian/systemic/organ toxicity  
**MUL** Multiple hazards  
**NEU** Neurotoxicity  
**OZO** Ozone depletion  
**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)  
**REP** Reproductive toxicity  
**RES** Respiratory sensitization  
**SKI** Skin sensitization/irritation/corrosivity  
**LAN** Land Toxicity  
**NF** Not found on Priority Hazard Lists

## GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)  
**BM-3** Benchmark 3 (use but still opportunity for improvement)  
**BM-2** Benchmark 2 (use but search for safer substitutes)  
**BM-1** Benchmark 1 (avoid - chemical of high concern)  
**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1  
**LT-1** List Translator Likely Benchmark 1  
**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)  
**NoGS** Unknown (no data on List Translator Lists)

## Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

## Other Terms

### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

---

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*