



HOLD BACK SURFACING & FINISH AS REQUIRED TO PREVENT DRIPS & RUNS WHERE NECESSARY.

OPTIONAL TOPCOAT OF ALSAN RS 287 COLOR FINISH PRE-MIXED W/ ALSAN RS LIQUID THIXO FOR AESTHETIC COLOR FINISH WHERE REQ'D.

ALSAN TRAFIK RS FLASH MEMBRANE-EXTEND +/-6" (150mm) MINIMUM HORIZONTALLY ONTO PREPARED & PRIMED SUBSTRATE.

ACCEPTABLE ALSAN RS TRAFFIC SURFACING SEE SPECIFICATIONS FOR OPTIONS.

ALSAN RS PRIMER OR APPROVED MOISTURE MITIGATION PRIMER APPLIED TO PREPARED SUBSTRATE (TYP.)

PREPARE, LEVEL & PATCH SUBSTRATE W/ ALSAN RS MORTAR AFTER PRIMING & PRIOR TO APPLYING ALSAN TRAFIK RS MEMBRANE (TYP.)

ALSAN RS MORTAR APPLIED CONTINUOUSLY OVER CLEAN & DRY ALSAN TRAFIK RS MEMBRANE.

ACCEPTABLE SUBSTRATE PREPARED PER SOPREMA REQUIREMENTS.

ALSAN TRAFIK RS FIELD MEMBRANE

4" (100 mm)  
MINIMUM

GRIND & RECESS SUBSTRATE AS REQUIRED TO ALLOW FLUSH INSTALLATION OF ALSAN TRAFIK RS MEMBRANE, MORTAR & SURFACING.

1" (25mm) MINIMUM DEEP RECESS IN CONCRETE TO PROVIDE FLASHING TIE-IN @ VERTICAL FACE OF STEEL POUR STOP.

STEEL POUR STOP, POWER TOOL CLEAN METAL PER SSPC-SP3 & PRIME W/ALSAN METAL PRIMER.

SOPREMA DETAIL DRAWINGS: REFER TO SOPREMA AND OTHER RELATED PUBLISHED DOCUMENTATION, PRODUCT DATA SHEETS (PDS) AND SAFETY DATA SHEETS (SDS) FOR ADDITIONAL INFORMATION. ALL DETAIL DRAWINGS AND RELATED INSTALLATION GUIDELINES ARE PROVIDED BY SOPREMA FOR THE SOLE PURPOSE OF ISSUING A SOPREMA WARRANTY. ACCORDINGLY, THE DETAIL DRAWINGS ARE NOT OFFERED, AND SHOULD NOT BE CONSIDERED, AS A SUBSTITUTE FOR PROFESSIONAL DESIGN SERVICES.



US CORPORATE ADDRESS  
310 QUADRAL DRIVE  
WADSWORTH, OHIO 44281  
www.soprema.us  
Tel: 330.334.0066

PROJECT:

TITLE:

**ALSAN TRAFIK RS FULLY REINFORCED  
WATERPROOFING & SURFACING  
CONCRETE BALCONY EDGE W/POUR STOP**

DRAWN BY: SOPREMA TECHNICAL SUPPORT, DWALDRON

NO.:

REVISION:

DATE:

DATE: 1-15-2022

SCALE: NTS

DRAWING NUMBER:

**US.RTR.03.E01F**

USAGE OF THIS DETAIL IS GOVERNED BY THE TERMS OF SERVICE FOR SOPREMA DETAILS.  
PLEASE CONSULT THESE TERMS OF SERVICE PRIOR TO UTILIZING THIS DRAWING.