



EXTEND MEMBRANE FLASHING A MINIMUM OF 8" BEYOND OVERBURDEN COMPONENTS

TERMINATION NOT SHOWN FOR CLARITY, REFER TO WATERPROOFING MEMBRANE DETAILS

PENETRATION

WATERPROOFING MEMBRANE, REFER TO WATERPROOFING MEMBRANE DETAILS

SOPRANATURE EDGE RESTRAINT

FILTER FABRIC

SOPRADRAIN ECO SERIES DRAINAGE MAT

FILTER FABRIC

STONE BALLAST

GROWTH MEDIA

VEGETATION

EXTEND FILTER FABRIC A MINIMUM OF 12" BEYOND EDGE RESTRAINT, SPOT ADHERE WITH SOPRAMASTIC SP1

ROOT BARRIER/PROTECTION MEMBRANE

NOTES:

1. SOPREMA DETAIL DRAWINGS: REFER TO SOPREMA AND OTHER RELATED PUBLISHED DOCUMENTATION, PRODUCT DATA SHEETS (PDS) AND SAFETY DATA SHEETS (SDS) FOR ADDITIONAL INFORMATION. ALL DETAIL DRAWINGS AND RELATED INSTALLATION GUIDELINES ARE PROVIDED BY SOPREMA FOR THE SOLE PURPOSE OF ISSUING A SOPREMA WARRANTY. ACCORDINGLY, THE DETAIL DRAWINGS ARE NOT OFFERED, AND SHOULD NOT BE CONSIDERED, AS A SUBSTITUTE FOR PROFESSIONAL DESIGN SERVICES.
2. A MINIMUM 12 IN "VEGETATION FREE ZONE" SHALL BE INSTALLED TO SEPARATE THE VEGETATIVE SYSTEM FROM PENETRATIONS.
3. ROOT BARRIERS ARE REQUIRED ABOVE STYRENE BUTADIENE STYRENE (SBS) AND HOT RUBBERIZED ASPHALT MEMBRANES. PROTECTION MEMBRANES ARE REQUIRED ABOVE POLYMETHYL METHACRYLATE (PMMA), POLYMETHACRYLATE (PMA), AND POLYVINYL CHLORIDE (PVC) MEMBRANES.



US CORPORATE ADDRESS
 310 QUADRAL DRIVE
 WADSWORTH, OHIO 44281
 www.soprema.us
 Tel: 330.334.0066

PROJECT:

TITLE: **VEGETATIVE OVERBURDEN,
 NON-INSULATED,
 PENETRATION**

DRAWN BY: SOPREMA TECHNICAL SUPPORT, GGALLOWAY

NO.:	REVISION:	DATE:
------	-----------	-------

DATE: 1.8.2015	DRAWING NUMBER: US.WPO.04.11
SCALE: NTS	